

LISTING OF CLAIMS:

1. (Previously Presented) A voice control system for an in-vehicle navigation device, the system including:

a voice inputting unit configured to input a speech uttered by a user through voice input;

a display unit configured to display a switch for a switch operation; and

a controlling unit configured to recognize the inputted speech to thereby execute a function according to a speech content corresponding to the recognized speech, the controlling unit identifying to the user a content of a destination setting that is subsequently executed, and requiring the user to make an instruction for a determination of whether to affirm or negate the destination setting before the destination setting is executed, the instruction for the determination of the destination setting being able to be made by both the switching operation and via the voice input,

the controlling unit comprising:

a display-controlling unit for displaying, when the user utters the speech, an auxiliary switch that executes an auxiliary function for the voice input manipulation; and

an executing unit for executing, when the auxiliary switch is selected, the auxiliary function.

2-5. (Canceled)

6. (Previously Presented) The voice control system according to Claim 1,
wherein the controlling unit notifies, to the user, the content of the destination setting
through instructing the display-controlling unit to display the content of the destination setting on
the display unit.

7. (Previously Presented) The voice control system according to Claim 1,
wherein the display unit includes a screen and a detecting unit for detecting, on the
screen, an area that the user touches, and
wherein, when the user touches a predetermined area corresponding to either the first
switch or the second switch that is displayed on the screen of the display unit, the executing unit
determines that either the first switch or the second switch is selected.

8. (Previously Presented) A voice input method in a voice control system for an input
navigation device, the control system that includes a display unit, voice inputting means for
inputting a speech uttered by a user, and controlling means for recognizing, as a speech content,
the inputted speech and thereby executing a function according to the speech content, the method
comprising:

notifying the user of a content of a destination setting;

displaying on the display unit, simultaneously with the notifying, (i) a first switch for the
user to make a first instruction to affirm the destination setting and (ii) a second switch for the
user to make a second instruction to negate the destination setting;

requiring the user to provide an instruction to either affirm or negate the destination
setting before the destination setting is executed, the instruction to either affirm or negate the

designation setting being able to be made by both voice input and a switch operation using the first and second switches; and

providing, when either the first switch or the second switch is selected by the user, an instruction according to the corresponding first or second switch.

9. (Previously Presented) The voice input method of Claim 8, wherein the displaying on the displaying unit of the first switch and the second switch is accomplished by displaying an assist window within a main display, the assist window including the first switch and the second switch.

10-12. (Canceled)